

AD-A183 598

FLUCTUATIONS OF THERMODYNAMIC PROPERTIES OF SUPERCOOLED
LIQUID WATER(U) HOWARD UNIV WASHINGTON DC DEPT OF
CHEMISTRY G E WALRAFEN ET AL. 28 JUL 87 TR-20

1/1


UNCLASSIFIED

N00014-80-C-0005

F/G 7/2

NL

							END
							9-87
							DTIC



MICROCOPY RESOLUTION TEST CHART
 NATIONAL BUREAU OF STANDARDS-1963-A

DTIC FILE COPY

AD-A183 598

(12)

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION Unclassified			1b. RESTRICTIVE MARKINGS	
2a. SECURITY CLASSIFICATION AUTHORITY DTIC ELECTE			3. DISTRIBUTION / AVAILABILITY OF REPORT This document has been approved for public release and sale; its distribution is unlimited.	
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE AUG 05 1987			5. MONITORING ORGANIZATION REPORT NUMBER(S)	
4. PERFORMING ORGANIZATION REPORT NUMBER(S) ONR-TR- 28			7a. NAME OF MONITORING ORGANIZATION Office of Naval Research Chemistry Division, Code 1113	
6a. NAME OF PERFORMING ORGANIZATION Howard University			7b. ADDRESS (City, State, and ZIP Code) Arlington, VA 22217	
6b. OFFICE SYMBOL (if applicable)			9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER N00014-80-C-805	
8a. NAME OF FUNDING / SPONSORING ORGANIZATION			10. SOURCE OF FUNDING NUMBERS	
8b. OFFICE SYMBOL (if applicable)			PROGRAM ELEMENT NO	
8c. ADDRESS (City, State, and ZIP Code)			PROJECT NO	
			TASK NO	
			WORK UNIT ACCESSION NO	
11. TITLE (Include Security Classification) Fluctuations of Thermodynamic Properties of Supercooled Liquid Water				
12. PERSONAL AUTHOR(S) G.E. Walrafen and W.H. Yang				
13a. TYPE OF REPORT Technical		13b. TIME COVERED FROM 9/86 TO 9/87		15. PAGE COUNT
14. DATE OF REPORT (Year, Month, Day)				
16. SUPPLEMENTARY NOTATION To be published in the Proceedings of the Marbug Conference in Honor of Professor W. Luck (Springer Verlag, Berlin)				
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary, and identify by block number)	
FIELD	GROUP	SUB-GROUP	Water, supercooled, specific heat	
19. ABSTRACT (Continue on reverse if necessary and identify by block number) A plot of $E^2 - (\bar{E})^2 (T, V, N)$ vs temperature from -30°C to 150°C was found to be so nearly perfectly linear that small negative deviations near -30°C suggested error in C_v rather than a failure of the linearity. An empirical equation was derived to describe C_v . Other properties of supercooled water were discussed.				
20. DISTRIBUTION / AVAILABILITY OF ABSTRACT <input checked="" type="checkbox"/> UNCLASSIFIED UNLIMITED <input type="checkbox"/> SAME AS RPT <input type="checkbox"/> OTHER			21. ABSTRACT SECURITY CLASSIFICATION Unclassified	
22a. NAME OF RESPONSIBLE INDIVIDUAL Dr. George E. Walrafen			22b. TELEPHONE (Include Area Code) 202 636-6900	
			22c. OFFICE SYMBOL	

OFFICE OF NAVAL RESEARCH

Contract N00014-80-C-805

R&T Code 4131 023

TECHNICAL REPORT NO. 28

Fluctuations of Thermodynamic Properties of Super-Cooled Water ^{Liquid}

by

G. E. Walrafen and W. H. Yang

to appear in

Proceedings of the Marburg Conference in Honor of
Professor W. Luck

W. Kleeberg editor (Springer-Verlag, Berlin, sched. 1987).

Department of Chemistry
Laser Chemistry Division
Howard University
Washington, DC 20059

July 28, 1987

Reproduction in whole, or in part, is permitted for any purpose of the United States Government.

* This document has been approved for public release and sale; its distribution is unlimited



By	
Distribution /	
Availability Codes	
Dist	Avail and/or Special
A-1	

FLUCTUATIONS OF THERMODYNAMIC PROPERTIES OF SUPERCOOLED LIQUID WATER

G. E. Walrafen and W.-H. Yang*

Chemistry Department, Howard University, Washington, DC 20059

It has been known for many years that fluctuations of several thermodynamic properties of supercooled liquid water are highly unusual. An example is the heat capacity at constant pressure, C_p . As water is supercooled, C_p rises very rapidly, particularly below about -20°C (Angell 1982). Because $S^2 - (\bar{S})^2 = k_B C_p$, where $k_B = 1.3806 \times 10^{-23} \text{ J}^\circ\text{K}^{-1}$, it follows that the mean square fluctuations of the entropy, S , must increase as the temperature decreases. This situation is contrary to intuition, and immediately signals the presence of unusual effects, e.g., it suggests a continuous transformation between structures of markedly different entropy (Speedy 1984). Fluctuations of the enthalpy, energy, and molal volume, which increase with decreasing temperature at constant pressure (T, p, N ensemble) may be obtained from: $H^2 - (\bar{H})^2 = k_B T^2 C_p = k_B T^2 [C_V + (\beta^2 TV / \kappa_T)]$, $E^2 - (\bar{E})^2 = k_B T [TC_V + [(\partial E / \partial V)_T]^2 \kappa_T V]$, and $V^2 - (\bar{V})^2 = k_B T \kappa_T V$ (Kell 1982; Kubo 1981; McQuarrie 1976). (Temperature fluctuations, $T^2 - (\bar{T})^2 = k_B T^2 C_V$, increase at an increasing rate between -30°C and 150°C , and pressure fluctuations, $p^2 - (\bar{p})^2 = k_B T / V \kappa_S$, increase to a maximum near 100°C , and then decline with increasing temperature to 150°C .) $\beta = V^{-1}(\partial V / \partial T)_p$, $\kappa_T = -V^{-1}(\partial V / \partial p)_T$, $\kappa_S = -V^{-1}(\partial V / \partial p)_S = \kappa_T C_V / C_p$, and $(\partial E / \partial V)_T = p_i = (\beta T / \kappa_T) - p$.

Fluctuations corresponding to the canonical or T, V, N ensemble, for which V is fixed, are also of interest for liquid water. For this ensemble, $E^2 - (\bar{E})^2 = k_B T^2 C_V$ and $(E - \bar{E})^3 = k_B^2 [T^4 (\partial C_V / \partial T)_V + 2T^3 C_V]$ (Kubo 1981). $E^2 - (\bar{E})^2 (T, V, N)$ is important because it constitutes the leading term in both $H^2 - (\bar{H})^2$ and $E^2 - (\bar{E})^2 (T, p, N)$. Hence, $E^2 - (\bar{E})^2 (T, V, N)$ may be regarded as a "baseline" above which $H^2 - (\bar{H})^2$ and $E^2 - (\bar{E})^2 (T, p, N)$ (which are equal for practical purposes) both rise, below and above the temperature of minimum molal volume, 4°C .

A plot of $E^2 - (\bar{E})^2 (T, V, N)$ versus temperature from -30°C to 150°C was found to be so nearly perfectly linear that small negative deviations near -30°C suggested error in C_V (determined from $C_p - \beta^2 TV / \kappa_T$), rather than a failure of the linearity. Therefore, if $E^2 - (\bar{E})^2 = a' + b'T$, it follows that $C_V T^2 = a + bT$, where $b > 0$ and $a < 0$. C_V values calculated between 0° and 100°C were considered to be more accurate than those over the remaining parts of the -30 to 150°C region. Least squares treatment (0° to 100°C) yielded the empirical relation, $C_V = -4,691,495 T^{-2} + 37,930.92 T^{-1}$, in $\text{J}^\circ\text{K}^{-1} \text{mol}^{-1}$. (C_p and C_V cannot be negative, but this is irrelevant for terms in an empirical equation.) To test the empirical equation values of $E_T - E_{277.16} = E_t - E_4$ were obtained from $C_V = C_p - (\beta^2 TV / \kappa_T)$ by graphical integration versus the C_V values from the equation, obtained by analytical integration. The comparison is shown below. Some large deviations are seen to be 0.25% at -20°C , where C_p is given only to 3 significant figures (Angell 1982); and 0.1% at -30°C , where β is given only to 2 significant figures (Kell 1982).

*Present address: Institute of Physics, Chinese Academy of Sciences, Beijing, China

The third moment, $\overline{(E-E)^3}$, is readily calculated from $C_V = aT^{-2} + bT^{-1}$, namely $\overline{(E-E)^3} = bk_B T^2$. This moment is a measure of the skewness, which is relatively very small, as seen from $\overline{(E-E)^3}/E^2 - (\overline{E})^2 = bk_B/C_V = 6.92 \times 10^{-21}$, at 4°C.

Speedy (1984) has modelled the fluctuation $\Delta H \Delta V$ in terms of pentagonal rings of hydrogen-bonded water molecules thought to exist in supercooled water. These rings are consistent with the presence of bulky polyhedral species. Speedy (1984) formulated $\Delta H \Delta V$ as $k_B \beta T^2 V$, which is the leading term in the formulation of Kubo (1981) $\Delta E \Delta V = k_B T \{T \beta V - p V \kappa_T\}$. (H is nearly the same as E for liquid water.) In view of the present evidence that $S^2 - (\overline{S})^2$, $H^2 - (\overline{H})^2$, $E^2 - (\overline{E})^2$ and $V^2 - (\overline{V})^2$ all increase as the temperature of supercooled water decreases, it seems nearly certain that special, bulky, fully-hydrogen-bonded structures exist in highly supercooled water, where the molal volume rises sharply. Thus, these structures would be volume modulated, whereas the breakage of hydrogen bonds is temperature modulated (Walrafen 1986). Hence, these two modulation mechanisms must be considered for water.

Finally, one simple calculation highlights the great difference between supercooled water and ice at the same temperature. For supercooled water at -13°C, $(\partial E/\partial V)_T = p_i = -1900$ bar, whereas the corresponding p_i for ice ($\beta > 0$ for ice, $\beta < 0$ for water, -13°C) is about +3000 bar (Leadbetter 1965). This qualitative, large disparity of nearly 5000 bar emphasizes the differences between ice and supercooled water. Large bulky polyhedral structures, e.g., clathrate-type structures, do not exist in ice Ih, but such structures may exist in supercooled liquid water.

Table I.

t°C	$H_t - H_4$ *		$E_t - E_4$ *	
	Graphical Integration		Analytical Integration	
150	11077.88	10206.97	10210.46	
140	10302.06	9569.56	9571.67	
130	9534.60	8921.39	8923.96	
120	8767.43	8266.10	8267.23	
110	8003.55	7600.02	7601.41	
100	7246.54	6925.71	6926.44	
90	6487.21	6246.02	6242.28	
80	5729.97	5552.24	5548.96	
70	4974.30	4849.19	4846.54	
60	4220.12	4137.46	4135.00	
50	3468.93	3416.39	3414.93	
40	2715.50	2684.79	2686.21	
30	1962.43	1947.63	1949.39	
20	1209.00	1203.12	1204.98	
10	454.15	452.16	453.70	
0	-302.87	-302.62	-303.54	
-10	-1067.04	-1062.99	-1065.55	
-20	-1849.13	-1826.21	-1830.82	
-30	-2677.27	-2594.45	-2597.39	

* All figures carried here are not significant, e.g., 4 significant figures are reasonable at most temperatures. Units, J/mol.

References

- Angell CA, Oguni M, and Sichina W J (1982). J. Phys. Chem. 86, 998.
- Kell G S (1982). In *Handbook of Physics and Chemistry*. Chemical Rubber, Boca Raton, F-5.
- Kubo R (1981). *Statistical Mechanics*. North Holland, Amsterdam.
- Leadbetter A J (1965). Proc. Roy. Soc. A287, 403.
- McQuarrie D A (1976). *Statistical Mechanics*. Harper and Row, New York.
- Speedy R J (1984). J. Phys. Chem. 88, 3364.
- Walrafen G E (1986). J. Chem. Phys. 85, 6970.

TECHNICAL REPORT DISTRIBUTION LIST, GEN

	<u>No. Copies</u>		<u>No. Copies</u>
Office of Naval Research Attn: Code 1113 800 N. Quincy Street Arlington, Virginia 22217-5000	2	Dr. David Young Code 334 NORDA NSTL, Mississippi 39529	1
Dr. Bernard Douda Naval Weapons Support Center Code 50C Crane, Indiana 47522-5050	1	Naval Weapons Center Attn: Dr. Ron Atkins Chemistry Division China Lake, California 93555	1
Naval Civil Engineering Laboratory Attn: Dr. R. W. Drisko, Code L52 Port Hueneme, California 93401	1	Scientific Advisor Commandant of the Marine Corps Code RD-1 Washington, D.C. 20380	1
Defense Technical Information Center Building 5, Cameron Station Alexandria, Virginia 22314	12 high quality	U.S. Army Research Office Attn: CRD-AA-IP P.O. Box 12211 Research Triangle Park, NC 27709	1
DTNSRDC Attn: Dr. H. Singerman Applied Chemistry Division Annapolis, Maryland 21401	1	Mr. John Boyle Materials Branch Naval Ship Engineering Center Philadelphia, Pennsylvania 19112	1
Dr. William Tolles Superintendent Chemistry Division, Code 6100 Naval Research Laboratory Washington, D.C. 20375-5000	1	Naval Ocean Systems Center Attn: Dr. S. Yamamoto Marine Sciences Division San Diego, California 91232	1

ABSTRACTS DISTRIBUTION LIST, 051A

Dr. M. A. El-Sayed
Department of Chemistry
University of California
Los Angeles, California 90024

Dr. E. R. Bernstein
Department of Chemistry
Colorado State University
Fort Collins, Colorado 80521

Dr. J. R. MacDonald
Chemistry Division
Naval Research Laboratory
Code 6110
Washington, D.C. 20375-5000

Dr. G. B. Schuster
Chemistry Department
University of Illinois
Urbana, Illinois 61801

Dr. J. B. Halpern
Department of Chemistry
Howard University
Washington, D.C. 20059

Dr. M. S. Wrighton
Department of Chemistry
Massachusetts Institute of Technology
Cambridge, Massachusetts 02139

Dr. W. E. Moerner
I.B.M. Corporation
Almaden Research Center
650 Harry Rd.
San Jose, California 95120-6099

Dr. A. B. P. Lever
Department of Chemistry
York University
Downsview, Ontario
CANADA M3J1P3

Dr. George E. Walrafen
Department of Chemistry
Howard University
Washington, D.C. 20059

Dr. Joe Brandelik
AFWAL/AADO-1
Wright Patterson AFB
Fairborn, Ohio 45433

Dr. Carmen Ortiz
Consejo Superior de
Investigaciones Cientificas
Serrano 121
Madrid 6, SPAIN

Dr. Kent R. Wilson
Chemistry Department
University of California
La Jolla, California 92093

Dr. G. A. Crosby
Chemistry Department
Washington State University
Pullman, Washington 99164

Dr. Theodore Pavlopoulos
NOSC
Code 521
San Diego, California 91232

Dr. John Cooper
Code 6173
Naval Research Laboratory
Washington, D.C. 20375-5000

Dr. Joseph H. Boyer
Department of Chemistry
University of New Orleans
New Orleans, Louisiana 70148

Dr. Harry D. Gafney
Department of Chemistry
Queens College of CUNY
Flushing, New York 11367-0904

END

9-87

DTIC